



## Material Safety Data Sheet

### 1- Chemical Product and Company Identification:

Product Name: **Extreme 9010**  
Product Type: Primer

**24-HOUR EMERGENCY PHONE:**  
**INFOTRAC: 1-800-535-5053**

### 2- Composition/Information on Ingredients:

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>%</u>	
Heptane	142-82-5	80-100	
<u>Exposure Limits (TWA)</u>	<u>ACGHI (TLV)</u>	<u>OSHA (PEL)</u>	<u>OTHER</u>
Heptane	400 ppm	500 ppm	No data

### 3- Hazards Identification:

Toxicity: Possible eye and respiratory irritant. Narcotic at high concentrations. Prolonged inhalation may cause headaches. Moderately toxic by ingestion. Liquid may dry out skin.

Primary routes of Entry: Inhalation, Ingestion, contact.

Signs of exposure: Vapors irritate eyes, nose, and throat. Liquid is an eye irritant and may irritate skin.

### 4- First Aid Measures:

Ingestion: Give water to dilute. Do not induce vomiting. Keep individual calm and seek medical attention.

Inhalation: Remove to fresh air. If symptoms persist, obtain medical attention.

Skin contact: Wash in warm water.

Eye contact: Flush with warm water. Seek medical attention.

### 5- Fire Fighting Measures:

Flash Point: -4°C (25°F), Tag Closed Cup

Extinguishing Media: Foam, Dry Chemical or Carbon Dioxide

Unusual Fire or Explosion Hazards: None.

Special Fire Fighting Procedures: N/A.

Hazardous Products Formed by Fire or Thermal decomposition: Irritating Organic Vapors

### 6-Accidental Release Measures

Steps to be taken in case of spill or leak: Avoid flame and sparks. Maintain adequate ventilation. Soak up in an inert Absorbent and store in a closed container until disposal.

## 7- Handling and Storage:

Safe storage: Keep in cool, well ventilated area. Store away from ignition sources. Keep container closed.

Handling: Avoid contact with skin. Avoid breathing vapors. Do not use around heat, sparks, or open flame.

## 8- Protective Equipment:

Ventilation: Local exhaust ventilation recommended to maintain vapor level below TLV.

Respiratory protection: Not applicable with good local exhaust.

Skin: Polyethylene or non-reactive gloves.

Eye protection: Safety glasses or goggles with side shields.

## 9- Physical and Chemical Properties:

Appearance: Clear liquid

Odor: Aliphatic

Boiling Point: 96-98°C (205-210°F)

Vapor Pressure: 40 mmHg @ 20°C (68°F)

Vapor Density: 3.5 Heavier than air

Evaporation rate: 2.7 (Ether =1)

Specific Gravity: 0.68

Solubility in water: Insoluble in water

Volatile Organic Compound:  
(EPA Method 24) >95%

## 10- Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatibility: Avoid contact with strong oxidizing agents.

## 11- Toxicological Information

See Section 3

## 12- Ecological Information

No Data

## 13- Disposal Considerations:

Disposal procedures: Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations.

## 14- Transportation Information:

### Domestic Ground Transport:

Proper shipping name: Consumer Commodity (not more than one liter)  
Heptane solutions (more than one liter)  
Hazard class or division: ORM-D (Not more than one liter)  
Class 3, Packing Group II (More than one liter)  
Identification number: None (Not more than one liter)  
UN 1206 (More than one liter)

### International Air Transportation:

Proper shipping name: Consumer Commodity (not more than one liter)  
Heptane solutions (more than one liter)  
Hazard class or division: ORM-D (not more than one liter)  
Class 3, Packing Group II (more than one liter)  
Identification number: None (not more than one liter)  
UN 1206 (not more than one liter)

### Water Transportation (IMO/IMDG)

Proper shipping name: Consumer commodity (not more than one liter)  
Heptane solutions (more than one liter)  
Hazard class or division: ORM-D (not more than one liter)  
Class 3, Packing Group II (more than one liter)  
Identification number: None (not more than one liter)  
UN 1206 (not more than one liter)

## 15- Regulatory Information

### US Federal Regulations

TSCA (United States): The intentional ingredients of this product are listed.  
SARA 302 Components: 40 CFR 355 Appendix A: NONE  
SARA 311/312: Immediate health hazard, delayed health hazard, Fire  
SARA 313: None above reporting deminimus

### Internal Regulations:

Inventory Status: Not determined

### State and Local Regulations:

CA Proposition 65: None

## 16- Other Information

<u>Hazard</u>	<u>NFPA Hazard Code®</u>	<u>HMIS Hazard Code®</u>
Health	2	2
Fire	3	3
Reactivity	0	0
Specific Hazard	Not Applicable	Personal protection: See Section 8

NFPA is a registered trademark of the National Fire Protection Association  
HMIS is a registered trademark of the National Paint and Coatings Association

Revision date: 09/01/2010

The properties represented herein are TYPICAL VALUES and not intended for use in specifications. **Extreme Adhesives, Inc.** MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE. While the information presented is believed to be accurate, no warranty or recommendation is made as to application. Determination of product suitability is the sole responsibility of the user. Suggestions made do not constitute any guarantee in as much as use conditions are beyond our control.